## **Notice and Necessary Information**

To be Completed by Preparers of Class B Biosolids

Facility Name: Orange County Sanitation District Reclamation Plant #1, Fountain Valley, CA and Treatment Plant #2, Huntington Beach, CA

Monitoring Period: January 1- 31, 2013

Sampling date(s): 01/02/2013, 01/09/2013 Pollutant and Nitrogen concentrations (report results on 100% dry weight basis).

	· /			(open recall and mineral weeks).									
	As (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	<b>Pb</b> (mg/kg)	Hg (mg/kg)	<b>Mo</b> (mg/kg)	<b>Ni</b> (mg/kg)	<b>Se</b> (mg/kg)	<b>Zn</b> (mg/kg)	Org-N* (mg/kg)	Ammonia (mg/kg)	<b>Cr</b> (mg/kg)	% solids
Result Plant 1	<4.3	<2.8	480	<28	1.1	<14	34	10	660	14,000	9,500	42	16
Result Plant 2	5.0	<2.7	500	<27	0.86	14	<27	14	720	22,000	9,800	42	18
Table 3	41	39	1,500	300	17	N/A	420	100	2,800	N/A	N/A	N/A	N/A
Table 1	75	85	4,300	840	57	75	420	100	7,500	N/A	N/A	3,000	N/A

<sup>\*</sup>Note: Organic Nitrogen results are below historical data. A duplicate analysis provided higher results more in line with historical values, but were not reported by the laboratory. These lower results could be attributed to sample non-homogeneity.

## Class B Pathogen Reduction

Class B pathogen reduction requirements from 40 CFR part 503 have been met via anaerobic digestion under the following parameters

	Mean Re Time (		Mean minimum Temperature (°F)		
	Min	Max			
Plant 1	19.7	20.6	98		
Plant 2	23.2	23.7	97		

## **Vector Attraction Reduction**

The vector attraction reduction requirements of 40 CFR part 503 and Arizona Administrative Code R18-9-1010.A have been met using data analyzed by an Arizona certified laboratory to comply with Option 1:

		ile Solids	
	In	Out	Reduction
Plant 1	2.8	1.3	55.5
Plant 2	3.4	1.2	64.7

## Certifications:

**NPDES permit:** I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or the persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

**503 Class B**: I certify, under penalty of law, that the Class B pathogen requirements in 503.32(b) and the vector attraction reduction requirement in 503.33(b)(1) have been met. This determination has been made under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the pathogen requirements and vector attraction requirements have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment.

**Arizona Class B**: I certify, under penalty of law, that the pollutant analyses and the description of pathogen treatment and vector attraction reduction activities have been made under my direction and supervision and under a system designed to ensure that qualified personnel properly gather and evaluate the information used to determine whether the applicable biosolids requirements have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment

4/15/2013

A

David R. Heinz
OM Operations Manager
Signed by: Heinz, Dave

dheinz@ocsd.c... (714)593-7383 X James E. Colter

James E. Colston jcolston@ocsd.com Env. Compliance Manager (714) 593-7450 Signed by: Colston, Jim X /Fall C

Ronald Coss Laboratory Manager Signed by: Coss, Ronald rcoss@ocsd.com (714)593-7508

4/1/2013