



Biosolids Monthly Compliance Report

Facility Name: Orange County Sanitation District Reclamation Plant #1, Fountain Valley, CA and Treatment Plant #2, Huntington Beach, CA

Monitoring Period: April 1- 30, 2019

This notice and necessary information demonstrates compliance with requirements of the Code of Federal Regulations Title 40 Part 503 and the Arizona Administrative Code Title 18, Chapter 9, Article 10 for land application pollutant concentrations, Class B pathogen reduction via anaerobic digestion (40CFR 503.32(b)(3)(A)(3), AAC R18-9-1006(E)(5)), and vector attraction reduction via volatile solids reduction (40CFR 503.33(b)(1), AAC R18-9-1010(A)(1)).

Sampling date(s): 04/09/19, 04/15-16/19

	Mercury (mg/kg dry)	Arsenic (mg/kg dry)	Cadmium (mg/kg dry)	Chromium (mg/kg dry)	Copper (mg/kg dry)	Lead (mg/kg dry)	Molybdenum (mg/kg dry)	Nickel (mg/kg dry)	Selenium (mg/kg dry)	Zinc (mg/kg dry)	Ammonia Nitrogen (mg/kg dry)	Organic Nitrogen (mg/kg dry)	Total Nitrogen (mg/kg dry)	pH	Total Solids (%)	VSR (%)
Plant 1 Max/Min¹	1.0	14	1.4 DNQ	43	720	11	18	32	<2.6	700	6,000	65,000	71,000	7.8	21	62
Plant 1 Avg	0.97	13 DNQ	1.3 DNQ	39	560	11	16	30	<2.6	640	5,600	60,000	65,000		22	
Plant 2 Max/Min¹	0.75	14	3.0	44	860	13	20	37	<2.7	730	5,500	60,000	64,000	7.8	19	72
Plant 2 Avg	0.59	13 DNQ	3.0	44	670	13	20	37	<2.7	730	5,000	56,000	61,000		25 ³	
Table 1 (Max/Min)¹	57	75	85	3000	4300	840	75	420	100	7500	N/A	N/A	N/A	6.5	15	38
Table 3 (Avg)	17	41	39	N/A	1500	300	N/A	420	100	2800	N/A	N/A	N/A	N/A	N/A	N/A

OCSD Plant 1	System Summary	Dig. 7	Dig. 8	Dig. 9	Dig. 10	Dig. 11	Dig. 12	Dig. 13	Dig. 14	Dig. 15	Dig. 16
Minimum Mean Cell Residence Time (Min 15 days)²	19	20	Out of Service	19	19	20	20	19	19	19	19
Minimum Temperature (Min 95 °F)	98	98	Out of Service	98	98	98	98	98	98	98	98

OCSD Plant 2	System Summary	Dig. C	Dig. D	Dig. E	Dig. F	Dig. G	Dig. H	Dig. I	Dig. J	Dig. L	Dig. M	Dig. N	Dig. O	Dig. P	Dig. Q	Dig. R	Dig. S	Dig. T
Minimum Mean Cell Residence Time (Min 15 days)²	22	22	22	24	23	22	22	22	Out of Service	22	22	Out of Service	22	Out of Service	22	22	22	22
Minimum Temperature (Min 95 °F)	96	97	99	96	101	99	97	100	Out of Service	99	98	Out of Service	98	Out of Service	99	99	98	98

DNQ (Detected, Not Quantified) represents estimated values above the method detection limit (MDL), but below the reporting limit (RL).

¹ Maximum values are reported for metals and nitrogen parameters; minimum values are reported for pH, volatile solids reduction (VSR) and total solids. Analysis of pH is conducted to comply with AAC R18-9-1007(A)(1). The limit for total solids applies only if biosolids are sent to a California landfill, per CCR Title 27 Section 20220(c)(3).

² MCRT based on a 15-Day Rolling Average.

³ Plant No. 2 began commissioning dewatering centrifuges in late March, which has resulted in higher percent total solids.



Biosolids Monthly Compliance Report

Facility Name: Orange County Sanitation District Reclamation Plant #1, Fountain Valley, CA and Treatment Plant #2, Huntington Beach, CA

Monitoring Period: April 1- 30, 2019

Certifications:

NPDES permit: *I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or the persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

503 Class B: *I certify, under penalty of law, that the Class B pathogen requirements in 503.32(b) and the vector attraction reduction requirement in 503.33(b)(1) have been met. This determination has been made under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the pathogen requirements and vector attraction requirements have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment.*

Arizona Class B: *I certify, under penalty of law, that the pollutant analyses and the description of pathogen treatment and vector attraction reduction activities have been made under my direction and supervision and under a system designed to ensure that qualified personnel properly gather and evaluate the information used to determine whether the applicable biosolids requirements have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment.*

Jim Spears
Operations Manager

jspears@ocsd.com
(714) 593-7081

Ron Coss (Aug 27, 2019)

Ron Coss
Laboratory, Monitoring &
Compliance Manager

rcoss@ocsd.com
(714) 593-7508

Deirdre Bingman

Rachel van Exel

Peter Park (Aug 20, 2019)












2019-04_Biosolids_Compliance_Report

Final Audit Report

2019-08-27


Created:	2019-08-19
By:	Cindy Vellucci (cvellucci@ocsd.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAPsYOtWI-JJ8pNKnk0He9-VLwLHHF7zeD

"2019-04_Biosolids_Compliance_Report" History


-  Document created by Cindy Vellucci (cvellucci@ocsd.com)
2019-08-19 - 5:47:07 PM GMT- IP address: 206.169.97.226
-  Document e-signed by Cindy Vellucci (cvellucci@ocsd.com)
Signature Date: 2019-08-19 - 5:49:43 PM GMT - Time Source: server- IP address: 206.169.97.226
-  Document emailed to Deirdre Bingman (dbingman@ocsd.com) for signature
2019-08-19 - 5:49:44 PM GMT
-  Email viewed by Deirdre Bingman (dbingman@ocsd.com)
2019-08-19 - 6:02:56 PM GMT- IP address: 206.169.97.226
-  Document e-signed by Deirdre Bingman (dbingman@ocsd.com)
Signature Date: 2019-08-19 - 6:07:52 PM GMT - Time Source: server- IP address: 206.169.97.226
-  Document emailed to Rachel Van Exel (rvanexel@ocsd.com) for signature
2019-08-19 - 6:07:54 PM GMT
-  Email viewed by Rachel Van Exel (rvanexel@ocsd.com)
2019-08-19 - 11:53:24 PM GMT- IP address: 206.169.97.226
-  Document e-signed by Rachel Van Exel (rvanexel@ocsd.com)
Signature Date: 2019-08-19 - 11:59:11 PM GMT - Time Source: server- IP address: 206.169.97.226
-  Document emailed to Peter Park (ppark@ocsd.com) for signature
2019-08-19 - 11:59:13 PM GMT
-  Email viewed by Peter Park (ppark@ocsd.com)
2019-08-20 - 2:08:37 PM GMT- IP address: 206.169.97.226
-  Document e-signed by Peter Park (ppark@ocsd.com)
Signature Date: 2019-08-20 - 2:32:07 PM GMT - Time Source: server- IP address: 206.169.97.226

 Document emailed to Jim Spears (jspears@ocsd.com) for signature


2019-08-20 - 2:32:09 PM GMT

 Email viewed by Jim Spears (jspears@ocsd.com)

2019-08-20 - 5:54:39 PM GMT- IP address: 206.169.97.226

 Document e-signed by Jim Spears (jspears@ocsd.com)

Signature Date: 2019-08-20 - 5:55:59 PM GMT - Time Source: server- IP address: 206.169.97.226

 Document emailed to Ron Coss (rcoss@ocsd.com) for signature

2019-08-20 - 5:56:01 PM GMT

 Email viewed by Ron Coss (rcoss@ocsd.com)

2019-08-27 - 6:56:56 PM GMT- IP address: 206.169.97.226

 Document e-signed by Ron Coss (rcoss@ocsd.com)

Signature Date: 2019-08-27 - 8:20:42 PM GMT - Time Source: server- IP address: 206.169.97.226

 Signed document emailed to Rachel Van Exel (rvanexel@ocsd.com), Cindy Vellucci (cvellucci@ocsd.com), Ron Coss (rcoss@ocsd.com), Deirdre Bingman (dbingman@ocsd.com), and 2 more

2019-08-27 - 8:20:42 PM GMT