

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 April 2021

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	
4/1																				
4/2																				
4/3																				
4/4																				
4/5																				
4/6	6	2	8	2	2	2	2	<2	<2	2	66	32	68	14	40	16	8	8	10	
4/7	6																		38	
4/8																				
4/9																				
4/10																				
4/11																				
4/12																				
4/13	18	20	<2	4	<2	<2	4	2	50	16	<2	8	<2	2	6	2	<2	14	8	
4/14	18																		2	
4/15																				
4/16																				
4/17																				
4/18																				
4/19																				
4/20	4	2	2	<2	<2	4	4	4	4	<2	2	6	2	8	4	8	<2	8	8	
4/21	14																		44	
4/22																				
4/23																				
4/24																				
4/25																				
4/26																				
4/27	22	38	10	8	4	>400	6	<2	4	48	38	28	26	34	24	8	4	14	14	
4/28	54																			2
4/29																				
4/30																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU
2																			
<2	4	22	4																
52	14	6		16	8	6	4	16	<2	2	4	26	160	12	<2	>400	<2	<2	4
<2	8	6	8																
<2	30	84		4	10	8	4	<2	<2	2	<2	8	176	36	4	>400	<2	<2	4
8	2	2	6																
48	74	4		68	8	8	10	16	10	<2	4	8	150	4	2	>400	<2	<2	4
30	4	<2	2																
2	24	<2		20	8	2	<2	10	<2	2	4	50	142	12			20	2	<2

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CONF - Confluence  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
42	6	2	<2	96	<2	<2
40	<2	2	42	322	<2	18
40	12	<2			<2	<2
74	6	<2	2	74	<2	<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.