

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 December 2021

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3D	21N	HB4D	HB5U	
12/1																				
12/2																				
12/3																				
12/4																				
12/5																				
12/6																				
12/7	4	8	6	2	8	22	<2	2	<2			<2			<2	2	<2	<2		
12/8																				
12/9																				
12/10																				
12/11																				
12/12																				
12/13																				
12/14	84	86	42	40	38	54	72	100	104	>400	>400	>400	>400	>400	180	78	46	44	>400	
12/15																				
12/16																				
12/17																				
12/18																				
12/19																				
12/20	150	46	4	2	<2	<2	<2	2	6			2			168	4	2	<2		
12/21																				
12/22																				
12/23																				
12/24																				
12/25																				
12/26																				
12/27																				
12/28	290	156	162	18	20	20	36	60	48			>400			78	98	52	88		
12/29																				
12/30																				
12/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB5	HB5D	15N	12N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD
				18	46	190	164		64	22	6	118	>400	24	2	10	138	>400	248
						24	6					26	18						
	2	4	10	6	34	4	<2	<2											
				16	8	2	12		14	<2	2	<2	<2	<2	<2	<2	<2	152	4
>400	178	62	48	52	66	174	148	74											
				276	324	374	366		216	>400	262	244	280	90	166	52	84	>400	252
	6	<2	12	<2	42	14	22	16											
				2	390	56	46		10	<2	8	2	2	4	<2	12	42	274	118
					64														
	36	26	28	24	20	60	122	>400											
				74	66	180	56		102	136	110	188	128	4	38	24	10	>400	30

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
50	>400	46	4	34	104	32	106			<2
<2	>400	<2	<2	<2	58	<2	<2			<2
		26	34	48	>400	48	32	26	>400	262
<2	230	<2	<2	2	124	2	64	2	240	<2
2	166	8	2	2	124	<2	12	22	>400	2

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.