

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 February 2021

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	
2/1																				
2/2	42	58	26	2	<2	<2	2	8	50	22	<2	<2	<2	<2	6	<2	<2	2	<2	
2/3	20																			6
2/4																				
2/5																				
2/6																				
2/7																				
2/8																				
2/9	22	28	22	4	8	4	6	12	4	26	10	4	6	2	4	8	42	18	2	
2/10	18																			8
2/11																				
2/12																				
2/13																				
2/14																				
2/15																				
2/16	12	24	20	28	2	<2	2	4	50	6	2	4	4	8	<2	2	<2	<2	<2	
2/17	20																			4
2/18																				
2/19																				
2/20																				
2/21																				
2/22																				
2/23	12	6	34	10	2	<2	2	<2	4	28	8	2	22	2	<2	6	14	2	8	
2/24	14																			68
2/25																				
2/26																				
2/27																				
2/28																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD
2	22	8	>400																
2	32	40		8	32	12	6	<2	12	4	<2	8	148	12	<2	<2	<2	68	<2
6	158	8	<2																
56	60	4		4	4	<2	<2	<2	<2	<2	<2	4	176	<2	2	<2	2	80	<2
2	6	<2	4																
2	2	38		52	16	14	12	2	<2	8	<2	<2	82	76	<2	<2	<2	22	<2
2	4	24	2																
64	58	8		8	4	<2	<2	2	2	<2	74	18	112	<2	2	<2	4	88	2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

ONB39	MDCU	MDC	MDCD	ELMOROD
<2	<2	132	<2	<2
2			<2	<2
<2	<2	284	4	<2
<2	4	>400	2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.