

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 February 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
2/1	8	2	<2	2	<2	2	2	<2	4	10	4	14	10	12	108	24	20	14	42
2/2																		<2	6
2/3																			
2/4																			
2/5																			
2/6																			
2/7																			
2/8	6	2	2	<2	<2	2	2	4	<2	2	<2	<2	<2	<2	2	<2	6	6	<2
2/9																		2	8
2/10																			
2/11																			
2/12																			
2/13																			
2/14																			
2/15	12	32	56	16	44	14	4	6	4	8	2	<2	<2	4	84	202	110	76	156
2/16																56	106	96	26
2/17																			
2/18																			
2/19																			
2/20																			
2/21																			
2/22	10	10	10	<2	<2	2	4	28	84	74	86	48	38	8	26	28	10	4	12
2/23																		4	<2
2/24																			
2/25																			
2/26																			
2/27																			
2/28																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
2	4	10																		
26	2		2	2	12	28	4	<2	<2	8	2	102	4			<2	<2	4	172	
<2	6	8																		
6	4		12	4	10	10	8	6	4	6	<2	80	16			<2	<2	<2	18	
156	4	8																		
62	352		24	4	2	4	8	14	6	8	2	204	4	<2	>400	2	<2	<2	20	
8	4	4																		
6	6		16	22	20	12	8	8	6	2	262	>400	146			2	<2	2	106	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<2	2	<2	58	<2
<2	<2			<2
2	<2	14	106	2
<2	2	<2	>400	110

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.