

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 July 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
7/1																				
7/2																				
7/3																				
7/4																				
7/5	4	6	<2	<2	<2	2	<2	<2	<2	<2	<2	2	<2	2	<2	<2	2	<2	<2	
7/6																			<2	<2
7/7																				
7/8																				
7/9																				
7/10																				
7/11																				
7/12	26	18	<2	12	2	18	24	10	40	42	40	26	38	28	12	4	6	38	32	
7/13																			42	36
7/14																				
7/15																				
7/16																				
7/17																				
7/18																				
7/19	2	6	4	2	<2	10	<2	<2	<2	<2	<2	<2	2	<2	<2	<2	<2	<2	2	
7/20																			2	28
7/21																				
7/22																				
7/23																				
7/24																				
7/25																				
7/26	8	14	2	10	<2	4	2	10	10	16	16	10	22	6	2	2	4	18	220	
7/27																		4	14	
7/28																				
7/29																				
7/30																				
7/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
4	2	<2																		
8	6		6	76	6	<2	4	4	4	4	38	168	<2			<2	<2	<2	44	
6	4	2																		
4	6		8	<2	<2	2	8	8	4	34	54	136	64			4	4	2	172	
<2	4	2																		
2	<2		12	<2	<2	<2	<2	<2	<2	4	<2	294	<2	2	>400	<2	<2	2	74	
<2	2	2																		
2	4		10	2	<2	4	8	4	2	22	2	230	2			2	4	2	32	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCD
6	<2	<2
2	2	4
2	><2	2
<2	<2	20

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.