

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 March 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
3/1	4	54	124	2	6	<2	2	<2	12	96	24	6	12	4	34	28	8	<2	8
3/2																		<2	6
3/3																			
3/4																			
3/5																			
3/6																			
3/7																			
3/8	4	2	2	<2	<2	2	2	16	<2	<2	<2	<2	<2	2	<2	2	<2	<2	<2
3/9																		4	8
3/10																			
3/11																			
3/12																			
3/13																			
3/14																			
3/15	<2	4	24	2	4	<2	<2	2	14	<2	2	<2	<2	<2	26	8	<2	6	4
3/16																		24	20
3/17																			
3/18																			
3/19																			
3/20																			
3/21																			
3/22	12	22	20	<2	<2	<2	<2	12	18	12	8	6	4	6	2	<2	4	<2	8
3/23																		4	<2
3/24																			
3/25																			
3/26																			
3/27																			
3/28																			
3/29	>400	322	312	18	30	4	<2	2	16	234	106	34	22	10	272	106	124	94	28
3/30																		28	12
3/31																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC
14	<2	10																	
6	4		6	4	4	<2	6	<2	<2	2	4	286	<2	<2	>400	2	<2	2	22
<2	4	<2																	
<2	4		4	16	2	<2	<2	2	2	<2	4	126	2			<2	<2	<2	6
2	<2	8																	
22	8		24	6	8	6	6	2	4	10	<2	98	2			<2	<2	<2	26
6	<2	20																	
2	10		6	22	<2	4	<2	12	<2	2	<2	208	2	8	>400	2	<2	<2	46
56	14	12																	
34	20		16	34	36	16	6	8	8	16	<2	>400	14	2	>400	2	<2	<2	314

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CONF - Confluence  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
4	4	<2	72	2
<2	<2	<2	18	<2
<2	<2			4
<2	<2			<2
4	2	18	>400	<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.