

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 May 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
5/1																		<2	<2	
5/2																				
5/3																				
5/4																				
5/5																				
5/6																				
5/7	20	2	4	<2	10	<2	2	10	8	6	16	108	8	18	4	2	16	6	2	
5/8																		2	20	
5/9																				
5/10																				
5/11																				
5/12																				
5/13																				
5/14	16	4	2	<2	2	<2	<2	<2	2	<2	<2	<2	2	4	<2	2	<2	<2	2	
5/15																		<2	2	
5/16																				
5/17																				
5/18																				
5/19																				
5/20																				
5/21	<2	4	2	<2	<2	<2	6	2	2	<2	<2	<2	4	<2	2	<2	<2	2	2	
5/22																		<2	4	
5/23																				
5/24																				
5/25																				
5/26																				
5/27																				
5/28	22	2	6	28	<2	2	<2	2	<2	4	20	16	6	10	<2	<2	2	<2	<2	
5/29																		<2	<2	
5/30																				
5/31																				
6/1																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
<2	<2	<2		2	<2	<2	2	6	<2	4	20	>400	<2	<2	<2	<2	32	2	2
<2	12		8																
8	14	10		18	20	14	2	12	<2	24	10	>400	140	8	22	2	206	6	2
12	6		8																
2	2	<2		<2	<2	<2	<2	6	<2	2	4	164	<2	<2	<2	<2	100	<2	<2
<2	<2		<2																
<2	<2	2		<2	<2	2	2	<2	<2	<2	<2	242	12	<2	<2	2	90	<2	<2
2	<2		2																
<2	<2	<2		<2	2	2	2	2	<2	2	>400	>400	<2	<2	<2	<2	116	<2	<2

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CONF - Confluence  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD
<2	>400	<2
4	>400	10
		<2
<2	56	<2
		<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.