

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 October 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
10/1																				
10/2																				
10/3																				
10/4	<2	<2	158	2	<2	<2	4	<2	<2	<2	<2	<2	<2	<2	<2	6	16	28	42	
10/5																		2	4	
10/6																				
10/7																				
10/8																				
10/9																				
10/10																				
10/11	6	<2	<2	12	8	2	<2	<2	6	2	2	4	4	<2	4	2	4	40	72	
10/12																		6	368	
10/13																				
10/14																				222
10/15																				
10/16																				
10/17																				
10/18	6	2	2	<2	2	30	<2	<2	2	2	2	2	4	4	6	4	14	4	16	
10/19																		2	4	
10/20																				
10/21																				
10/22																				
10/23																				
10/24																				
10/25	8	6	12	28	<2	<2	2	4	2	4	<2	<2	4	4	<2	6	6	6	28	
10/26																		24	92	
10/27																				
10/28																				
10/29																				
10/30																				
10/31																				
11/1																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<2	<2	<2																	
2	4		4	<2	4	2	4	2	<2	30	<2	376	38			4	<2	<2	68
76	<2	4																	
14	2		<2	8	2	<2	4	<2	<2	12	2	>400	<2	<2	>400	<2	<2	2	98
2	<2	<2																	
<2	<2		2	<2	<2	2	<2	<2	2	4	<2	>400	4	<2	>400	6	<2	<2	74
6	10	4																	
8	26		4	<2	4	4	6	<2	<2	2	2	262	4	2	>400	44	2	<2	94

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

