

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Fecal Coliform Bacteria (CFU/100 mL)  
 Daily Monitoring Data  
 January 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D	21N
1/1																			
1/2																			
1/3	67	33	50	17	17	33	33	<17	33			<17			17			50	17
1/4																			
1/5																			
1/6																			
1/7																			
1/8																			
1/9																			
1/10	2300	1000	350	<17	17	33	17	<17	50	120	15000	170	100	5800	1000	440	11000	440	180
1/11																			
1/12																			
1/13																			
1/14																			
1/15																			
1/16																			
1/17	67	100	67	17	33	33	17	100	83	17	460	17			17			67	33
1/18																			
1/19																			
1/20																			
1/21																			
1/22																			
1/23																			
1/24	<17	83	<17	17	50	700	33	<17	<17			<17			<17			<17	<17
1/25						<17													
1/26																			
1/27																			
1/28																			
1/29																			
1/30																			
1/31	<17	17	<17	<17	33	<17	<17	<17	<17			<17			17			<17	<17
2/1																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWB – Confluence With Blue  
 CWOB – Confluence Without Blue  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	12N	9N	6N	3N	0	SAR-N	TM	3S	6S	9S	15S	21S	27S
83	4000	17			480	130	<17	<17	33	33	120	680							
								33	<17	100	33		100	50	17	17	1700	50	<17
760	8600	<17	50	7800	17	50	17	17	17	<17	50	200							
								17	17	17	33		<17	W20000	220	100	<17	<17	17
		120			17	33	50	17	17	<17	100	W20000							
								<17	33	33	100		17	880	33	50	67	67	17
		<17			<17	<17	<17	<17	<17	<17	<17	<17							
								<17	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17
		<17			<17	<17	<17	17	50	33	150	920							

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CWB – Confluence With Blue

CWOB – Confluence Without Blue

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
33	440	420	760	17	440	50	17	17	140	<17	67	17	620	33
<17	<17	600	<17	<17	170	17	17	<17	1500	17	<17	<17	880	17
50	100	280	250	<17	15	<17	<17	<17	140	<17	17	<17	31	67
<17	17	15	<17	<17	700	<17	<17	<17	<15	<17	<17	<17	77	17

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWB – Confluence With Blue  
 CWOB – Confluence Without Blue  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.