

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 December 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
12/1																				
12/2																				
12/3																				
12/4																				
12/5	<17	130	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	
12/6																		<17	<17	
12/7																				
12/8																				
12/9																				
12/10																				
12/11																				
12/12	120	50	<17	<17	67	<17	50	<17	<17	33	<17	<17	17	<17	940	220	130	33	33	
12/13																		<17	<17	
12/14																				
12/15																				
12/16																				
12/17																				
12/18																				
12/19	33	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	
12/20																		17	17	
12/21																				
12/22																				
12/23																				
12/24																				
12/25																				
12/26																				
12/27	170	67	17	33	100	17	17	<17	<17	<17	17	<17	<17	17	67	<17	50	17	<17	
12/28																		50	17	
12/29																				
12/30																				
12/31																				
1/1																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<17	50		<17																
<17	17	100		<17	<17	17	<17	17	<17	<17	33	1000	50			<17	<17	<17	1000
170	<17		33																
17	<17	17		33	<17	300	<17	<17	33	<17	200	2000	<17			<17	17	<17	1600
<17	<17		<17																
<17	130	33		17	<17	17	17	<17	<17	50	100	>1800	83	67	CWS	800	<17	<17	1400
33	100		150																
67	17	100		100	33	17	33	33	<17	17	17	2000	3200	<17	>6200	<17	<17	<17	600

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
17	17			<17
<17	50			<17
130	>980	17	>2500	<17
<17	17	200	2400	220

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.