

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 February 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
2/1	83	83	<17	17	<17	<17	17	<17	<17	<17	<17	67	<17	<17	33	<17	200	33	83
2/2																		<17	67
2/3																			
2/4																			
2/5																			
2/6																			
2/7																			
2/8	<17	17	<17	<17	17	<17	17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17
2/9																		<17	<17
2/10																			
2/11																			
2/12																			
2/13																			
2/14																			
2/15	270	50	67	67	83	<17	<17	17	<17	<17	<17	<17	<17	<17	100	640	560	200	220
2/16																		400	33
2/17																			
2/18																			
2/19																			
2/20																			
2/21																			
2/22	>2800	67	<17	17	<17	<17	<17	17	100	180	50	17	33	<17	50	33	17	<17	17
2/23																		<17	<17
2/24																			
2/25																			
2/26																			
2/27																			
2/28																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<17	<17	33																	
<17	<17		<17	<17	17	17	<17	<17	<17	<17	<17	870	17			17	<17	17	>1000
<17	<17	67																	
400	<17		17	50	17	<17	<17	50	<17	<17	<17	3900	180			<17	<17	<17	>92
120	17	<17																	
33	660		33	<17	33	<17	<17	<17	<17	17	<17	>1800	<17	<17	>2200	17	17	<17	>110
<17	50	17																	
33	50		17	120	<17	17	<17	33	<17	<17	900	>8700	1200			17	<17	17	>67

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<17	<17	<17	5800	33
<17	17			<17
17	17	33	3800	17
<17	<17	17	>3400	>230

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.