

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 February 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2U	HB2	HB2D	HB3D	21N	HB4D	HB5D	15N	12N
2/1																			
2/2																			
2/3																			
2/4																			
2/5																			
2/6																			
2/7	<17	17	33	<17	17	<17	<17	<17	<17	<17			<17	<17	<17	<17	<17	17	<17
2/8																			
2/9																			
2/10																			
2/11																			
2/12																			
2/13																			
2/14	17	<17	<17	<17	<17	33	<17	<17	<17	17			<17	<17	<17	17	33	<17	50
2/15																			
2/16																			
2/17																			
2/18																			
2/19																			
2/20																			
2/21	<17	<17	<17	<17	<17	<17	17	<17	<17	<17			17	<17	17	<17	<17	<17	17
2/22																			
2/23																			
2/24																			
2/25																			
2/26																			
2/27																			
2/28	>11000	>3900	>7700	6000	5000	680	230	370	180	200	330	19000	1400	520	400	270	250	130	180
3/1																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S
<17	17	<17	150		50	33	<17	50	<17	17	67	<17	17	1100	33	33	12000	<17	<17
<17	<17	50	17	17															
<17	17	17	67		17	50	83	<17	<17	<17	<17	<17	1500	>40000	400	50	>12000	<17	<17
<17	<17	17	<17	230															
<17	17	<17	120		<17	50	33	17	33	17	<17	17	17	2800	50			<17	<17
17	67	33	<17	<17															
<17	33	33	33		<17	<17	<17	17	17	50	<17	50	<17	870	<17			50	17
200	230	130	7900	>12000															

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
17	670	33	17	17	1400	<17
17	600	<17	<17	<17	1100	<17
33	870	17	17	83	1800	<17
<17	1800	<17	33	17	6000	33

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.