

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 January 2021

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2U	HB2	HB2D	HB3D	21N	HB4U	HB4	HB4D	
1/1																				
1/2																				
1/3																				
1/4																				
1/5	150	67	33	17	50	17	50	<17	<17	33	17			17	<17	33			17	
1/6	130																			
1/7																				
1/8																				
1/9																				
1/10																				
1/11																				
1/12	50	67	<17	<17	50	33	<17	<17	17	<17	<17			<17	17	<17			<17	
1/13	33																			
1/14																				
1/15																				
1/16																				
1/17																				
1/18																				
1/19	<17	<17	17	17	<17	<17	17	<17	17	<17	<17			<17	<17	<17			<17	
1/20	50																			
1/21																				
1/22																				
1/23																				
1/24																				
1/25																				
1/26	7200	2400	4400	4900	5800	4700	6100	6600	3900	5600	5900	5200	6700	4600	6800	4900	5200	6100	4900	
1/27	480																			
1/28																				
1/29																				
1/30																				
1/31																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB5D	15N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC
17	2700	17 17	17 <17	33 17	120 33	270	150	100	50	33	<17	<17	<17	<17	67	880	130		
<17	33	33 <17	33 <17	170 250	67 50	150	67	33	67	<17	<17	<17	<17	<17	50	960	<17		
17	<17	<17 33	33 33	<17 <17	33 <17	17	<17	<17	17	<17	<17	67	<17	<17	<17	620	<17		
3900	3900	5200 150	4400 50	2900 83	4300 280	4700	270	250	280	130	380	<17	480	280	130	420	130	130	<20

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
<17	<17	17	400	<17	<17			<17			<17
<17	<17	<17	460	33	<17			<17		3100	
<17	<17	17	370	<17	17			<17			<17
67	83	33	480	50	150	67	2000	50	100	4800	

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.