

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 January 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
1/1																				
1/2																				
1/3																				
1/4	2100	83	180	640	17	50	33	17	33	33	50	<17	17	120	33	50	33	33	50	
1/5																		33	50	
1/6																				
1/7																				
1/8																				
1/9																				
1/10	33	33	17	<17	<17	<17	<17	280	<17	17	17	50	<17	<17	<17	<17	<17	<17	<17	
1/11																		<17	<17	
1/12																				
1/13																				
1/14																				
1/15																				
1/16																				
1/17																				
1/18	67	33	270	<17	17	<17	<17	17	<17	<17	<17	<17	<17	<17	17	50	17	<17	<17	
1/19																		17	33	
1/20																				
1/21																				
1/22																				
1/23																				
1/24																				
1/25	17	17	17	<17	17	17	<17	33	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	
1/26																		<17	<17	
1/27																				
1/28																				
1/29																				
1/30																				
1/31																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC
170	67	33																	
17	<17		<17	50	100	130	33	17	<17	17	17	730	600			<17	17	<17	1800
17	<17	100																	
<17	<17		17	50	17	17	<17	50	<17	320	67	1400	<17	33	5000	<17	<17	17	530
50	520	100																	
33	17		33	17	50	<17	<17	50	<17	17	<17	6800	150	50	2200	17	<17	<17	800
17	33	120																	
<17	17		33	<17	<17	17	<17	<17	17	<17	17	1500	33	<17	>46	<17	<17	<17	130

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<17	17	<17	2800	<17
17	<17			<17
<17	<17	<17	1700	17
<17	<17	<17	5000	<17

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.