

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 January 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D	21N
1/1																			
1/2																			
1/3	900	1200	1300	500	540	180	200	170	33			150			200			300	220
1/4																			
1/5																			
1/6																			
1/7																			
1/8																			
1/9																			
1/10	>14000	>14000	>3900	67	83	200	270	180	600	1100	>3000	1700	>820	>16000	>5200	>3100	>26000	>3200	1600
1/11																			
1/12																			
1/13																			
1/14																			
1/15																			
1/16																			
1/17	2000	1000	700	200	700	500	600	1800	1400	900	2000	1600			1000			800	1000
1/18																			
1/19																			
1/20																			
1/21																			
1/22																			
1/23																			
1/24	17	67	17	<17	17	1200	17	33	17			17			<17			<17	<17
1/25																			
1/26																			
1/27																			
1/28																			
1/29																			
1/30																			
1/31	33	67	17	<17	<17	<17	17	<17	<17			<17			17			<17	<17
2/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	12N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S
1100	>15000	220			>6900	620	1100	1000 33	150 50	600 320	1000 700	>7700	370	220	100	130	2100	67	380
>5000	>30000	280	1600	>27000	280	120	50	33 67	17 50	17 120	50 220	200	33	>7200	>2300	540	150	67	<17
		600			400	400	800	300 130	470 180	500 560	150 400	>17000	300	>6300	1100	2200	500	100	180
		<17			<17	<17	33	17 <17	<17 <17	17 33	<17 33	17	<17	<17	67	17	<17	<17	17
		<17			<17	<17	<17	<17	17	330	>6200	>20000							

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

