

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 July 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
7/1																			
7/2																			
7/3																			
7/4																			
7/5	300	440	<17	<17	17	<17	<17	17	17	17	<17	17	<17	<17	<17	<17	<17	17	<17
7/6																		<17	<17
7/7																			
7/8																			
7/9																			
7/10																			
7/11	<17	17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	83	33	50	<17
7/12																		<17	<17
7/13																			
7/14																			
7/15																			
7/16																			
7/17																			
7/18	>17	17	<17	<17	<17	<17	<17	<17	17	67	67	50	83	<17	17	<17	33	33	83
7/19																		<17	17
7/20																			
7/21																			
7/22																			
7/23																			
7/24																			
7/25	<17	67	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	<17
7/26																		<17	<17
7/27																			
7/28																			
7/29																			
7/30																			
7/31																			
8/1																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
<17	<17		33																	
<17	50	17		<17	<17	<17	33	<17	<17	17	83	>4500	>100	50	CWS	<17	<17	<17	4300	
<17	17		<17																	
<17	17	<17		<17	17	<17	<17	17	17	<17	100	>8700	<17	<17	>9000	<17	<17	<17	3100	
17	17		50																	
<17	<17	<17		<17	<17	<17	<17	<17	<17	17	280	>4900	>1600	100	>15000	67	<17	17	>16000	
33	<17		<17																	
17	33	17		<17	<17	<17	<17	<17	33	<17	300	>6000	>17	<17	CWS	17	<17	<17	>670	

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<17	<17			33
33	<17			<17
33	<17	200	>2700	50
<17	<17			<17

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.