

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 June 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
6/1																			
6/2																			
6/3																			
6/4																			
6/5																			
6/6	100	300	200	<17	<17	<17	<17	<17	17	17	<17	<17	33	17	<17	33	17	33	67
6/7																		17	<17
6/8																			
6/9																			
6/10																			
6/11																			
6/12																			
6/13	<17	100	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	<17	<17	50	<17	<17	<17	<17
6/14																		<17	<17
6/15																			
6/16																			
6/17																			
6/18																			
6/19																			
6/20	180	180	83	<17	17	<17	17	<17	17	<17	<17	<17	<17	<17	<17	17		<17	50
6/21																	<17	<17	<17
6/22																			
6/23																			
6/24																			
6/25																			
6/26																			
6/27	<17	33	17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	<17	<17	<17	<17	<17
6/28																		<17	<17
6/29																			
6/30																			
7/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
17	67		17																
<17	<17	50		17	<17	<17	<17	<17	<17	<17	67	>6800	33	33	>5400	<17	<17	<17	>5200
<17	33		33																
<17	<17	<17		<17	<17	<17	<17	<17	<17	17	17	>8400	<17	<17	>8800	<17	<17	<17	>7000
<17	33		83																
<17	<17	<17		17	<17	<17	<17	<17	<17	<17	2000	>7700	>3500	<17	>12000	33	<17	<17	9800
<17	67		<17																
<17	33	<17		<17	<17	17	<17	<17	<17	33	<17	>9600	>17	<17	>6900	17	<17	<17	>5500

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
17	17	50	>19000	<17
<17	<17	<17	>2300	120
33	<17			17
17	50			<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.