

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 March 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D	21N
3/1																			
3/2																			
3/3																			
3/4																			
3/5																			
3/6																			
3/7	100	100	83	<17	<17	<17	<17	17	<17			17			<17			<17	<17
3/8																			
3/9																			
3/10																			
3/11																			
3/12																			
3/13																			
3/14	83	120	83	<17	17	17	<17	130	33			<17			<17			17	<17
3/15																			
3/16																			
3/17																			
3/18																			
3/19																			
3/20																			
3/21	900	800	280	120	33	<17	130	<17	<17	800	>22000	>5300	200	>25000	>4600	50	>12000	130	280
3/22																			
3/23																			
3/24																			
3/25																			
3/26																			
3/27																			
3/28	100	180	200	<17	<17	<17	<17	33	<17			17			<17			<17	<17
3/29																			
3/30																			
3/31																			
4/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	12N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S
								1100	1200	1200	CWS		CWS	>9100	>3900	>3000	>3400	>4900	2900
		<17			<17	17	17	<17	50	100	50	200							
								17	<17	50	17		<17	130	67	50	67	83	<17
		<17			<17	<17	<17	17	50	180	500	>2200							
								1200	1100	>2300	CWS		CWS	>2100	33	50	<17	33	17
>6500	>10000	2700	>9600	CWS	4100	2100	800	720	800	2800	>12000								
								>1200	1400	1400	>3200	CWS	800	CWS	>3500	>2800	460	380	350
		17			<17	<17	<17	<17	<17	<17	67	>1700							
								130	200	100	170		>700	33	100	17	17	50	<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
170	120	>4600	>600	230	>5200	330	220	280	>13000	800	230	120	>4200	>320
<17	17	4400	<17	<17	>1300	<17	<17	17	470	<17	17	<17	400	<17
>1200	CWS	CWS	CWS	>3400	>8800	>1000	>3300	CWS	CWS	>7500	CWS	CWS	CWS	
480	820	3800	1800	250	>3800	700	480	900	>5400	800	>520	330	>3000	1000
<17	50	>1900	17	>1000	CWS	<17	17	150	CWS	<17	CWS	>2700	CWS	33

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.