

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 May 2021

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	
5/1																				
5/2																				
5/3																				
5/4	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	17	50	17	33	17	<17	<17	<17	17	
5/5	<17																			17
5/6																				
5/7																				
5/8																				
5/9																				
5/10																				
5/11	17	17	<17	<17	<17	<17	<17	33	17	<17	<17	<17	<17	17	<17	<17	<17	<17	17	
5/12	<100																			50
5/13																				
5/14																				
5/15																				
5/16																				
5/17																				
5/18	>5900	>1500	>280	>83	17	17	50	<17	<17	17	17	<17	<17	50	<17	<17	7500	>20000	CWS	
5/19	120																	330		230
5/20																				
5/21																				
5/22																				
5/23																				
5/24																				
5/25	17	33	33	<17	<17	33	17	17	17	17	<17	17	<17	<17	<17	83	50	100	400	
5/26	>67																			50
5/27																				
5/28																				
5/29																				
5/30																				
5/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU
<17	50	<17	17																
33	<17	<17		<17	<17	<17	<17	<17	100	<17	<17	120	>7600	17	<17	>4800	<17	<17	<17
33	17	17	200																
<17	33	17		<17	<17	<17	17	<17	220	17	<17	17	7600	700			<17	<17	<17
CWS	CWS	CWS	CWS																
230	820	7300		170	83	83	<17	<17	<17	<17	<17	67	>6600	17	17	>4000	<17	<17	<17
170	<17	17	<17																
120	50	17		33	83	17	17	<17	33	<17	67	50	3800	560	440	>5000	220	17	<17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
400	<17	33	<17	470	<17	<17
520	17	<17	<17	3400	<17	17
>130	17	33	33	>9600	33	<17
1600	17	<17	<17	>2800	<17	17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.