

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 November 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
11/1																		17	33	
11/2																				
11/3																				
11/4																				
11/5																				
11/6																				
11/7	33	170	17	<17	<17	<17	17	<17	<17	150	33	<17	<17	<17	<17	<17	17	17	<17	
11/8																		33	17	
11/9																				
11/10																				
11/11																				
11/12																				
11/13																				
11/14	17	>33	17	<17	17	<17	33	<17	<17	<17	<17	<17	<17	<17	17	<17	17	67	33	
11/15																		50	130	
11/16																				
11/17																				
11/18																				
11/19																				
11/20	33	280	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	33	<17	<17	<17	17	
11/21																		<17	<17	
11/22																				
11/23																				
11/24																				
11/25																				
11/26																				
11/27																				
11/28	17	17	17	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	33	<17	<17	17	67	50	
11/29																		<17	67	
11/30																				
12/1																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<17	<17	<17		<17	17	<17	<17	17	<17	<17	67	>3900	17			<17	<17	<17	>330
<17	100		33																
<17	<17	33		33	<17	17	150	67	50	33	<17	>1700	33			33	<17	<17	400
17	<17		33																
17	33	<17		<17	<17	<17	<17	<17	<17	17	150	1000	17	50	CWS	83	320	600	800
17	50		400																
50	33	17		<17	50	<17	<17	<17	17	<17	200	1600	700			<17	<17	17	200
17	<17		33																
50	<17	<17		17	<17	<17	<17	17	<17	<17	17	6400	2600	17	CWS	17	<17	17	670

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<17	<17			<17
17	<17			17
<17	17	33	>3200	<17
<17	<17	<17	>7000	180
17	17	1600	1300	<17

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.