

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 October 2022

| Date | OSB03 | OSB05 | OSB04 | OSB01 | OSUB1 | 39N | 33N | BCO-1 | 27N | HB1D | HB2D | HB3D | 21N | HB4D | HB5D | 15N | 12N | 9N | 6N | |
|-------|-------|-------|-------|-------|-------|-----|-----|-------|-----|------|------|------|-----|------|------|-----|-----|-----|-----|-----|
| 10/1 | | | | | | | | | | | | | | | | | | | | |
| 10/2 | | | | | | | | | | | | | | | | | | | | |
| 10/3 | | | | | | | | | | | | | | | | | | | | |
| 10/4 | 67 | <17 | 50 | 17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | 17 | 17 | |
| 10/5 | | | | | | | | | | | | | | | | | | | <17 | <17 |
| 10/6 | | | | | | | | | | | | | | | | | | | | |
| 10/7 | | | | | | | | | | | | | | | | | | | | |
| 10/8 | | | | | | | | | | | | | | | | | | | | |
| 10/9 | | | | | | | | | | | | | | | | | | | | |
| 10/10 | | | | | | | | | | | | | | | | | | | | |
| 10/11 | 17 | 17 | 67 | <17 | <17 | <17 | <17 | <17 | <17 | 17 | <17 | <17 | <17 | 17 | 50 | <17 | <17 | 67 | 17 | |
| 10/12 | | | | | | | | | | | | | | | | | | | 50 | 780 |
| 10/13 | | | | | | | | | | | | | | | | | | | | |
| 10/14 | | | | | | | | | | | | | | | | | | | | |
| 10/15 | | | | | | | | | | | | | | | | | | | | |
| 10/16 | | | | | | | | | | | | | | | | | | | | |
| 10/17 | | | | | | | | | | | | | | | | | | | | |
| 10/18 | 67 | 50 | <17 | 17 | <17 | 67 | <17 | <17 | 33 | 33 | 83 | 50 | 130 | 83 | 180 | 300 | 270 | 220 | 330 | |
| 10/19 | | | | | | | | | | | | | | | | | | | <17 | 17 |
| 10/20 | | | | | | | | | | | | | | | | | | | | |
| 10/21 | | | | | | | | | | | | | | | | | | | | |
| 10/22 | | | | | | | | | | | | | | | | | | | | |
| 10/23 | | | | | | | | | | | | | | | | | | | | |
| 10/24 | | | | | | | | | | | | | | | | | | | | |
| 10/25 | <17 | <17 | 33 | <17 | <17 | <17 | 17 | <17 | <17 | <17 | <17 | 33 | <17 | <17 | <17 | 17 | 17 | <17 | 67 | |
| 10/26 | | | | | | | | | | | | | | | | | | | 83 | 270 |
| 10/27 | | | | | | | | | | | | | | | | | | | | |
| 10/28 | | | | | | | | | | | | | | | | | | | | |
| 10/29 | | | | | | | | | | | | | | | | | | | | |
| 10/30 | | | | | | | | | | | | | | | | | | | | |
| 10/31 | | | | | | | | | | | | | | | | | | | | |
| 11/1 | | | | | | | | | | | | | | | | | | | | |

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

| 3N | 0 | AR-N | TM | 3S | 6S | 9S | 15S | 21S | 27S | 29S | BGCU | BGC | BGCD | PCCU | PPC | PPCD | 39S | WFCU | WFC |
|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|------|-------|------|------|--------|------|-----|------|------|
| 17 | <17 | <17 | | | | | | | | | | | | | | | | | |
| <17 | <17 | | 33 | <17 | <17 | 17 | <17 | <17 | <17 | <17 | <17 | >2800 | 400 | | | <17 | <17 | <17 | >200 |
| 17 | <17 | <17 | | | | | | | | | | | | | | | | | |
| <17 | <17 | | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | >3200 | 17 | 33 | >32000 | <17 | <17 | 33 | 7200 |
| 100 | 370 | 100 | | | | | | | | | | | | | | | | | |
| 33 | 50 | | 17 | 17 | <17 | <17 | <17 | 50 | <17 | <17 | <17 | >5100 | 50 | 67 | >23000 | <17 | <17 | <17 | >800 |
| <17 | 17 | <17 | | | | | | | | | | | | | | | | | |
| 17 | 17 | | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | >3400 | <17 | <17 | >40000 | 100 | <17 | <17 | >200 |

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

