

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 April 2014

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N
4/1	70	26	8	22	<2	<2	2	<2	32	14	12	4	6	12	2	104	4	2	14
4/2	>400																	2	8
4/3																			
4/4																			
4/5																			
4/6																			
4/7																			
4/8	<2	<2	6	2	<2	<2	<2	<2	4	2	2	2	18	4	<2	4	<2	<2	<2
4/9	<2																	<2	2
4/10																			
4/11																			
4/12																			
4/13																			
4/14																			
4/15	18	28	18	2	2	6	<2	2	14	2	<2	<2	24	4	12	12	4	<2	<2
4/16	120																	14	14
4/17																			
4/18																			
4/19																			
4/20																			
4/21																			
4/22	32	<2	6	8	<2	2	<2	4	<2	4	<2	314	4	<2	<2	2	<2	6	8
4/23	6																	12	4
4/24																			
4/25																			
4/26																			
4/27																			
4/28																			
4/29	40	4	4	10	<2	<2	4	2	<2	6	2	6	4	2	4	12	8	22	16
4/30	88																	10	>400

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
>400	28	12																	
16	26		54	110	10	8	2	10	6	2	396	>400	42	36	<2	10	>400	6	126
4	<2	4																	
12	2		46	8	<2	<2	<2	<2	<2	<2	<2	92	2	<2	<2	<2	50	2	<2
40	2	<2																	
>400	48		8	26	32	6	8	16	<2	68	14	94	8	2	<2	12	>400	4	>400
6	6	4																	
76	56		56	34	16	10	2	4	10	56	2	78	6	<2	<2	<2	>400	2	>400
182	2	28																	
4	68		28	4	<2	<2	<2	6	<2	6	12	200	52	2	<2	<2	230	<2	2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
8	>400	58	<2
<2	82	4	<2
6	>400	2	2
2	68	2	<2
4	178	<2	<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.