

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 April 2016

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
4/1																				
4/2																				
4/3																				
4/4																				
4/5	240	18	<2	<2	<2	<2	<2	4	4	>400	8	<2	6	8	<2	8	10	8	82	
4/6	38									6								8	2	
4/7																				
4/8																				
4/9																				
4/10																				
4/11																				
4/12	78	2	2	10	<2	<2	<2	8	8	2	<2	2	2	<2	<2	<2	<2	2	10	
4/13	234																	6	6	
4/14																				
4/15																				
4/16																				
4/17																				
4/18																				
4/19	26	12	8	<2	2	2	2	12	2	2	6	<2	2	<2	2	4	4	2	4	
4/20	8																	2	6	
4/21																				
4/22																				
4/23																				
4/24																				
4/25																				
4/26	194	<2	4	4	<2	2	<2	<2	2	<2	<2	2	4	2	4	<2	4	<2	<2	
4/27	8																	<2	<2	
4/28																				
4/29																				
4/30																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
60	<2	6																	
<2	<2		2	<2	<2	<2	<2	12	<2	2	6	136	4	<2	<2	2	316	6	<2
10	<2	16																	
<2	<2		6	4	<2	<2	2	6	<2	<2	8	174	40	<2	<2	<2	86	2	8
<2	<2	2																	
2	<2		<2	<2	<2	4	<2	<2	2	2	<2	110	<2	<2	<2	<2	128	<2	<2
4	<2	16																	
4	10		<2	12	16	<2	<2	<2	4	<2	16	154	18	<2	<2	8	152	<2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
<2	120	<2	<2
<2	>400	4	2
<2	128	<2	<2
<2	86	6	<2

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CONF - Confluence

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.