

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 December 2014

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
12/1																				
12/2	228	32	62	58	6	10	10	86	30	76	28	28	10	14	34	38	34	4	32	
12/3	>400																	312	360	
12/4																				
12/5																				
12/6																				
12/7																				
12/8																				
12/9	54	48	42	16	<2	2	30	14	10	20	28	42	62	42	68	62	58	42	6	
12/10	46																	16	8	
12/11																				
12/12																				
12/13																				
12/14																				
12/15																				
12/16	94	104	96	50	12	14	2	16	20	26	22	32	42	26	30	38	76	36	48	
12/17	>400																	38	42	
12/18																				
12/19																				
12/20																				
12/21																				
12/22	314	40	26	10	10	8	20	36	14	14	10	186	80	20	6	28	54	38	28	
12/23	276																	6	2	
12/24																				
12/25																				
12/26																				
12/27																				
12/28																				
12/29	18	8	8	4	2	<2	<2	8	42	<2	20	38	18	6	8	<2	2	<2	2	
12/30	56																	24	20	
12/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
182	44	64																		
280	480		224	>400	16	38	42	56	12	182	>400	>400	>400	64	>400	76	24	42	>400	
>400	22	26																		
20	6		8	32	4	40	8	4	<2	2	38	252	46			<2	<2	2	68	
30	34	>400																		
42	30		48	>400	96	18	<2	10	12	6	>400	>400	24	14	>400	18	4	14	>400	
288	54	>400																		
52	14		32	10	30	18	16	6	4	14	14	344	60	2	>400	<2	2	<2	136	
22	<2	110																		
12	36		58	18	6	4	6	<2	<2	4	62	>400	38			2	<2	<2	22	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
24	10	276	>400	250	6
8	24	<2	252	8	6
22	>400	56	>400	4	12
6	20	4	366	<2	2
<2	4	<2	12	2	<2

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CONF - Confluence

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.