

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 December 2016

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
12/1																				
12/2																				
12/3																				
12/4																				
12/5																				
12/6	<2	4	26	4	2	<2	<2	<2	2	<2	2	2	4	<2	<2	<2	<2	<2	<2	
12/7	6																	2	<2	
12/8																				
12/9																				
12/10																				
12/11																				
12/12																				
12/13	140	40	26	10	<2	6	10	4	2	40	<2	6	14	8	24	18	16	<2	12	
12/14	32																	2	6	
12/15																				
12/16																				
12/17																				
12/18																				
12/19																				
12/20	14	10	16	12	<2	<2	2	4	2	2	2	4	<2	<2	<2	<2	2	<2	<2	
12/21	10																	10	2	
12/22																				
12/23																				
12/24																				
12/25																				
12/26																				
12/27	158	70	36	46	4	<2	2	2	2	6	34	20	28	6	12	2	8	2	4	
12/28	46																	<2	2	
12/29																				
12/30																				
12/31																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39	
8	<2	32																		
20	2		2	32	2	2	<2	<2	<2	<2	4	230	8	<2	<2	<2	66	<2	2	
80	2	4																		
218	12		54	10	2	6	<2	10	<2	2	18	>400	8	2	<2	<2	48	<2	6	
6																				
4	142	280																		
22	16		18	60	18	<2	<2	2	<2	<2	20	212	14	<2	<2	2	108	<2	6	
14	2	86																		
<2	10		10	14	2	4	<2	14	2	2	<2	120	16	<2	2	2	110	<2	<2	

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CONF - Confluence  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

