

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 February 2013

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	
2/1																				
2/2																				
2/3																				
2/4																				
2/5	48	36	14	20	4	<2	2	2	38	<2	24	24	34	60	28	28	4	14	10	
2/6	156																			28
2/7																				
2/8																				
2/9																				
2/10																				
2/11																				
2/12																				
2/13	14	18	4	6	4	4	<2	48	204	10	2	<2	24	10	2	6	4	2	2	
2/14	16																			10
2/15																				
2/16																				
2/17																				
2/18																				
2/19	32	6	12	4	2	2	2	2	52	2	68	44	34	24	20	16	<2	8	2	
2/20	142																			26
2/21																				
2/22																				
2/23																				
2/24																				
2/25																				
2/26	156	16	8	6	4	<2	6	6	18	12	14	2	2	4	2	4	<2	<2	2	
2/27	42																			2
2/28																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU
14	16	10	72																
16	14	38		58	90	8	44	96	48	2	4	38	72	2			<2	<2	<2
2	10	4	6																
2	22	70		10	12	6	10	12	2	4	<2	6	86	54			<2	10	<2
4	6	8	28																
30	80	82		34	66	74	58	46	30	34	12	4	>400	158	<2	>400	8	42	2
122	210	2	2																
4	304	10		46	12	4	4	2	14	<2	4	8	58	<2	<2	168	<2	<2	42

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
10	<2	<2	2	150	2	<2
10	8	2	<2	124	2	20
>400	8	6	14	>400	250	12
18	2	<2	<2	192	<2	<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.