

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 February 2014

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
2/1																				
2/2																				
2/3																				
2/4	40	82	6	8	16	2	<2	2	26	6	4	26	12	4	14	6	4	4	6	
2/5	64																	4	22	
2/6																				
2/7																				
2/8																				
2/9																				
2/10	90	312	28	10	4	16	14	8	8	100	364	80	>400	176	18	12	124	54	26	
2/11																				
2/12																				
2/13	186																	4	4	
2/14																				
2/15																				
2/16																				
2/17																				
2/18	74	74	10	8	<2	<2	<2	2	28	6	16	10	12	38	12	2	6	4	2	
2/19	80																	6	334	
2/20																				
2/21																				
2/22																				
2/23																				
2/24																				
2/25	>400	40	90	<2	2	6	4	8	<2	118	18	22	20	18	<2	34	6	20	64	
2/26	350																	82	132	
2/27																				
2/28																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39	
44	18	102																		
40	16		12	26	24	16	2	8	2	4	<2	140	46	<2	<2	<2	34	<2	>400	
114	52	24																		
>400	60		70	10	20	8	6	2	<2	6	206	108	6	18	2	202	38	120	10	
102	6	8																		
48	20		20	48	2	6	6	<2	6	<2	2	62	10	<2	<2	<2	28	214	214	
72	10	8																		
192	4		<2	4	6	8	<2	30	4	54	>400	>400	10	48	2	18	96	6	<2	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
<2	122	<2	2
6	64	8	<2
<2	258	<2	<2
<2	178	<2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.