

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 February 2016

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
2/1																				
2/2	30	12	30	20	28	38	34	48	48	80	50	42	46	42	46	62	56	30	38	
2/3	32																	6	20	
2/4																				
2/5																				
2/6																				
2/7																				
2/8																				
2/9	18	16	12	12	10	8	<2	8	<2	44	14	8	6	12	6	6	>136	4	4	
2/10	6																<2	6	8	
2/11																				
2/12																				
2/13																				
2/14																				
2/15																				
2/16	16	10	12	6	2	<2	2	4	8	102	30	32	36	16	8	2	28	6	8	
2/17	42																	30	2	
2/18																				
2/19																				
2/20																				
2/21																				
2/22																				
2/23	8	6	4	<2	<2	<2	<2	<2	<2	<2	2	8	<2	2	<2	<2	<2	<2	146	
2/24	54																	4	8	
2/25																				
2/26																				
2/27																				
2/28																				
2/29																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
38	16	>400																	
8	34		40	172	24	20	8	10	6	8	8	132	2	2	4	<2	28	2	6
				44															
20	10	8																	
66	4		10	8	<2	2	10	6	<2	8	6	56	6	4	<2	2	106	2	<2
14	14	44																	
26	10		32	44	2	6	<2	2	<2	2	<2	80	<2	<2	<2	<2	84	<2	<2
2	2	96																	
102	2		2	6	2	<2	30	<2	<2	2	6	42	2	<2	<2	<2	138	<2	2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
4	98	2	8
		2	<2
		<2	<2
<2	130	6	<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.