

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 February 2017

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D
2/1	12																		
2/2																			
2/3																			
2/4																			
2/5																			
2/6																			
2/7	308	>400	148	272	148	96	108	46	70	112	312	>400	206	222	>400	138	164	>400	136
2/8	>400																		
2/9																			
2/10																			
2/11																			
2/12																			
2/13																			
2/14	38	12	34	2	<2	2	<2	36	26	30			12			16			22
2/15	12																		
2/16																			
2/17																			
2/18																			
2/19																			
2/20																			
2/21	126	56	204	70	14	6	6	2	108	12			42			24			80
2/22	188																		
2/23																			
2/24																			
2/25																			
2/26																			
2/27																			
2/28	60	36	22	92	4	4	8	<2	<2	20			20			18			16

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

21N	HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S
								<2	2	14	30	122	52	8	8	6	2	4	2
106	244	>400	124	188	>400	304	240	254 84	88 48	172 76	>400 46	>400	54	86	58	78	68	12	6
20			10			8	<2	2 2	2 2	26 20	2 78	10	30	8	2	12	<2	<2	<2
128 10			216	12	70	6	20	12 50	6 38	10 20	34 64	116	32	28	60	132 14	16	12	<2
18			10			38	8	8	12	14	88	68							

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
126	2	128	6			2	<2	<2	58	<2	<2	<2	30	<2			<2
4	6	308	16	8	368	<2	14	<2	182	4	4	2	392	24			4
4	2	102	48			<2	<2	4	78	<2	<2	<2	42	<2			<2
6	2	318	4	<2	>400	<2	<2	<2	62	<2	2	<2	170	4	<2	>400	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.