

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 February 2020

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
2/1																				
2/2																				
2/3																				
2/4	36	8	4	4	<2	4	<2	18	<2	6	8	18	16	12	<2	10	4	2	2	
2/5	18																	8	4	
2/6																				
2/7																				
2/8																				
2/9																				
2/10	148	76	24	18	<2	8	12	14	34	6	<2	2	<2	2	2	14	10	2	244	
2/11																				
2/12																				
2/13	42																	12	14	
2/14																				
2/15																				
2/16																				
2/17																				
2/18	24	16	16	4	8	<2	<2	28	34	72	68	80	110	108	32	42	28	8	4	
2/19	4													6				2	2	
2/20																				
2/21																				
2/22																				
2/23																				
2/24																				
2/25	70	78	18	24	4	4	2	14	8	16	<2	<2	<17	<17	<17	17	<17	<17	<17	
2/26	292																	14	14	
2/27																				
2/28																				
2/29																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC	
26	18	<2																		
30	<2		24	2	4	4	<2	<2	<2	4				2	>400	<2	<2	<2	<2	88
346	130	102																		
18	12		8	12	2	2	2	<2	<2	48	14	150	<2			<2	<2	<2	<2	122
14	8	<2																		
38	2		14	6	8	8	2	2	6	88	32	90	22	<2	>400	4	<2	16	<2	42
17	<17	17																		
12	6		8	6	2	2	4	2	<2	2	14	180	<2			<2	<2	<2	<2	34

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
<2	<2			<2			<2
<2	4	22	>400	8			2
6	12	2	60	22			10
<2	2	<2	126	<2	2	>400	<2

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CONF - Confluence

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.