

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 January 2014

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5U	HB5	HB5D	15N	
1/1																				
1/2	12																			
1/3																				
1/4																				
1/5																				
1/6																				
1/7	8	12	6	8	2	<2	<2	<2	2	4	2	6	<2	6	4			6	26	
1/8	10																			
1/9																				
1/10																				
1/11																				
1/12																				
1/13																				
1/14	46	14	14	8	2	2	<2	4	<2	2	12	6	24	24	2	6	>400	380	12	
1/15	34																			
1/16																				
1/17																				
1/18																				
1/19																				
1/20																				
1/21	24	8	44	24	18	34	4	4	34	8	4	4	10	10	4			4	4	
1/22	24																			
1/23																				
1/24																				
1/25																				
1/26																				
1/27																				
1/28	36	110	<2	6	18	<2	8	34	8	160	292	258	100	58	120			98	32	
1/29	118																			
1/30																				
1/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC
12	30	102	24		24	8	4	6	2	2	<2	<2	2	80	2	112	<2	2	42
<2	10	4	<2	16															
8	<2	16	22		36	22	<2	8	2	2	2	2	<2	30	2	<2	2	<2	60
8	6	46	14	10															
4	4	64	14		38	6	<2	2	<2	2	2	<2	28	50	14	2	<2	2	34
6	2	4	2	<2															
6	2	22	16		18	12	8	6	<2	<2	2	<2	2	42	8	<2	<2	<2	24
42	32	28	124	20															
22	18	132	36		22	90	12	256	118	108	<2	26	98	148	>400	10	6	18	276

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
2	<2			12	<2
<2	<2			2	<2
<2	<2			<2	2
30	18			<2	<2
10	252	20	>400	48	46

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.