

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 January 2015

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
1/1																				
1/2																				
1/3																				
1/4																				
1/5																				
1/6	92	6	80	4	10	36	<2	22	<2	4	16	4	18	8	<2	2	6	<2	4	
1/7	58																	44	4	
1/8																				
1/9																				
1/10																				
1/11																				
1/12																				
1/13	56	10	12	6	<2	<2	4	2	10	14	4	2	4	<2	2	2	24	2	<2	
1/14	62																	12	8	
1/15																				
1/16																				
1/17																				
1/18																				
1/19																88				
1/20	>400	306	>400	70	12	24	46	72	4	70	>400	>400	168	>400	76		98	102	154	
1/21	48																	14	16	
1/22																				
1/23																				
1/24																				
1/25																				
1/26																				
1/27	>400	14	4	4	10	<2	2	200	14	2	14	2	4	2	44	<2	2	6	2	
1/28	36																	6	4	
1/29																				
1/30																				
1/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
10	4	>400																		
284	6		6	<2	2	<2	60	12	6	2	76	334	6	8	>400	2	<2	2	40	
42	88	122																		
22	80		22	2	4	4	<2	<2	2	2	14	186	94			<2	<2	<2	80	
248	238	>400																		
68	14		20	30	20	26	32	<2	2	12	68	184	8			20	6	8	22	
<2	22	>400																		
12	10		8	10	2	<2	6	8	<2	2	14	238	4			<2	2	4	18	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
8	2	14	104	8	2
2	<2	6	64	6	<2
14	12	8	162	72	6
10	8	<2	60	<2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.