

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 January 2016

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
1/1																				
1/2																				
1/3																				
1/4																				
1/5	30	58	22	20	<2	<2	10	4	22	<2	8	14	12	10	8	16	8	4	98	
1/6	>400																	268	310	
1/7																				
1/8																				
1/9																				
1/10																				
1/11																				
1/12	26	30	56	28	46	12	10	8	2	4	10	70	30	16	18	4	8	4	4	
1/13	26																	<2	4	
1/14																				
1/15																				
1/16																				
1/17																				
1/18																				
1/19	84	44	28	32	18	28	26	34	12	32	22	46	36	16	26	44	18	40	20	
1/20	106																	102	24	
1/21																				
1/22																				
1/23																				
1/24																				
1/25																				
1/26	30	46	18	28	<2	10	10	8	2	28	12	26	10	10	10	14	24	12	22	
1/27	34																	10	22	
1/28																				
1/29																				
1/30																				
1/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
6	4	48																		
310	288		404	>400	242	288	156	128	288	24	66	>400	204	12	>400	18	6	14	>400	
22	20	<2																		
4	<2		2	6	12	<2	4	2	<2	<2	6	84	4			<2	<2	2	52	
14	34	64																		
42	32		38	98	42	24	8	22	14	22	14	312	2			6	8	12	110	
96	12	12																		
50	28		58	28	10	14	12	<2	<2	10	44	360	<2	6	216	2	<2	2	30	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
10	26	6	>400	>400	14
<2	<2	<2	224	<2	8
<2	4	18	>400	<2	6
<2	<2	6	100	<2	2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.