

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 July 2015

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N
7/1	4						<2	14		4				2			<2	4	14
7/2																			
7/3																			
7/4																			
7/5																			
7/6																			
7/7	<2	2	<2	2	4	<2	28	6	2	<2	6	<2	4	2	6	2	2	<2	<2
7/8	<2						2	>400		2				10			2	8	8
7/9								4											
7/10																			
7/11																			
7/12																			
7/13																			
7/14	34	60	26	20	4	<2	4	22	<2	2	2	2	4	8	4		2	16	28
7/15	52						10	20		<2				10			6	12	18
7/16																			
7/17																			
7/18																			
7/19																			
7/20																			
7/21	122	80	18	22	2	16	2	8	<2	2	10	<2	4	6	2	6	8	4	8
7/22	8						16	2		4				6			8	10	18
7/23																			
7/24																			
7/25																			
7/26																			
7/27																			
7/28	62	34	10	4	4	8	16	2	6	10	6	2	4	16	16	8	8	28	32
7/29	124						4	16		12				20			12	20	34
7/30																			
7/31																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
28	4		2	<2	6	<2	<2	2	<2	4	20	272	16	<2	>400	4	<2	2	260
4	6	2		<2	<2	<2	>400	<2	2	<2							<2		
2	2		2	10	<2	<2	<2	<2	16	<2	<2	126	<2	<2	>400	2	<2	<2	190
38	2	<2		<2	<2	<2	4	<2	2	4							<2		
54	<2		<2	<2	4	<2	<2	<2	2	12	2	146	>400			<2	8	4	>400
6																			
30	20	10		2	<2	4	<2	<2	<2	4							4		
26	34		28	4	<2	2	<2	<2	<2	<2	14	228	10			<2	<2	2	322
10	2	<2		2	2	<2	2	<2	2	4							<2		
12	12		8	10	14	14	<2	6	<2	4	24	166	30			<2	<2	6	>400

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CONF - Confluence  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
<2	2			14	2
<2	<2			2	<2
<2	<2			<2	<2
8	<2	<2	174	2	<2
<2	22	4	>400	<2	<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.