

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 June 2012

Date	39N	33N	27N	21N	15N	9N	6N	3N	0	D2	SAR	3S	6S	9S	15S	21S	27S	29S	39S
6/1	2	10	16	16	10	24	10	26	14	32 S	14 S	14	4	12	2	<2	<2	4	<2
6/2																			
6/3																			
6/4	32	22	2	20	28	8	30	22	64	2 S	16 S	16	6	6	4	14	4	86	6
6/5	6	6	6	8	4	4	4	<2	<2	10 S	<2 S	<2	2	2	24	4	8	20	12
6/6	8	<2	10	4	8	6	2	24	8	4 S	28 S	6	6	8	2	8	<2	<2	6
6/7	<2	<2	4	4	2	<2	4	10	4	4 S	14 S	4	4	8	8	18	<2	20	4
6/8	<2	4	<2	18	6	4	10	4	10	4 S	14 S	2	<2	<2	<2	2	<2	16	<2
6/9																			
6/10																			
6/11	<2	<2	8	10	2	<2	14	8	8	4 S	4 S	14	8	<2	4	2	<2	4	2
6/12	2	<2	<2	<2	<2	<2	4	6	<2	4 S	4 S	2	<2	<2	<2	<2	2	2	<2
6/13	<2	4	8	<2	<2	10	28	38	6	<2 S	4 S	<2	4	<2	<2	<2	<2	4	<2
6/14	2	2	8	2	<2	2	<2	16	2	<2 S	4 S	6	4	14	2	2	<2	<2	<2
6/15	2	10	8	16	4	4	18	174	10	2 S	2 S	<2	<2	2	98	6	2	14	2
6/16																			
6/17																			
6/18	30	14	10	<2	6	6	2	>400	2	2 S	4 S	<2	<2	<2	<2	<2	2	10	<2
6/19	<2	30	2	<2	<2	2	146	112	4	8 S	2 S	30	<2	<2	8	2	<2	8	2
6/20	<2	10	6	<2	2	4	6	>400	28	14 S	4 S	4	<2	<2	<2	4	2	2	4
6/21	172	20	26	2	18	>400	6	>400	10	12 S	6 S	16	12	4	<2	2	2	34	<2
6/22	<2	14	24	2	10	8	4	174	22	<2 S	8 S	4	6	<2	2	<2	<2	<2	26
6/23																			
6/24																			
6/25	<2	4	2	4	62	8	2	146	6	4 S	2 S	<2	2	2	<2	<2	<2	<2	<2
6/26	<2	4	<2	2	4	2	6	<2	8	2 S	<2 S	<2	<2	4	4	<2	<2	4	<2
6/27	<2	10	8	2	<2	<2	10	6	2	<2 S	<2 S	<2	<2	2	<2	<2	<2	<2	<2
6/28	<2	<2	<2	24	4	2	2	4	2	<2 S	2 S	2	<2	<2	2	2	<2	8	<2
6/29	2	12	12	2	2	38	28	28	<2	<2 S	<2 S	2	8	4	<2	<2	<2	4	<2
6/30																			

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.