

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 June 2016

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
6/1	4																	<2	4	
6/2																				
6/3																				
6/4																				
6/5																				
6/6																				
6/7	178	50	84	18	<2	<2	6	4	4	8	16	54	16	18	10	4	8	4	8	
6/8	20																	2	2	
6/9																				
6/10																				
6/11																				
6/12																				
6/13																				
6/14	6	6	6	2	<2	<2	6	<2	2	<2	<2	2	4	4	<2	<2	2	<2	<2	
6/15	4																	10	18	
6/16																				
6/17																				
6/18																				
6/19																				
6/20																				
6/21	8	14	24	<2	2	<2	<2	8	4	4	2	<2	<2	6	<2	6	6	8	24	
6/22	12																	<2	4	
6/23																				
6/24																				
6/25																				
6/26																				
6/27																				
6/28	<2	30	352	2	<2	<2	<2	8	2	4	<2	2	<2	<2	4	<2	<2	<2	4	
6/29	<2																	<2	<2	
6/30																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
>400 4	<2		4	<2	<2	<2	<2	<2	<2	92	12	>400	4	<2	4	2	>400	6	<2
16 12	<2 30	60	14	34	<2	<2	2	2	<2	<2	18	330	20	<2	<2	12	302	<2	<2
<2 4	<2 4	<2	<2	<2	<2	2	<2	4	6	8	2	234	2	<2	2	<2	294	<2	<2
26 6	2 8	38	8	2	4	4	<2	<2	<2	<2	6	>400	16	<2	<2	<2	334	2	<2
<2 4	6 4	4	2	<2	<2	<2	<2	<2	<2	2	10	>400	14	<2	<2	<2	>400	<2	<2

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
4	>400	6	<2
		<2	<2
<2	108	2	<2
2	96	4	4
		<2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.