

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 March 2012

Date	39N	33N	27N	21N	15N	9N	6N	3N	0	D2	SAR	3S	6S	9S	15S	21S	27S	29S	39S
3/1	2	10	6	6	30	16	4	12	10	8 S	22 S	78	78	32	10	10	4	4	2
3/2	2	2	8	14	18	12	80	12	30	2 S	10 S	12	14	8	6	<2	2	2	<2
3/3																			
3/4																			
3/5	<2	6	62	36	32	8	8	4	8	<2 S	8 S	2	6	8	16	40	30	<2	4
3/6	4	20	10	36	18	82	>400	348	22	4 S	4 S	28	4	<2	4	4	4	6	<2
3/7	2	18	16	28	40	62	78	56	46	72 S	18 S	12	12	14	22	12	16	4	4
3/8	4	6	6	6	52	<2	30	2	12	<2 S	4 S	12	6	24	8	4	36	8	<2
3/9	10	36	2	16	14	8	14	<2	<2	4 S	<2 S	6	2	2	<2	<2	<2	<2	<2
3/10																			
3/11																			
3/12	18	12	6	4	8	4	18	2	12	2 S	14 S	26	2	8	<2	36	12	22	<2
3/13	<2	8	12	12	8	4	24	34	4	2 S	36 S	8	4	4	6	6	2	<2	<2
3/14	<2	4	2	24	8	4	28	<2	10	6 S	16 S	2	<2	2	<2	<2	<2	6	<2
3/15	<2	8	2	4	8	<2	4	8	6	<2 S	<2 S	6	<2	6	14	36	10	12	<2
3/16	<2 R	40 R	18 R	70 R	24 R	4 R	8 R	14 R	8 R	2 S	4 S	4 R	4 R	2 R	2 R	26 R	4 R	12 R	<2 R
3/17																			
3/18																			
3/19	20 R	12 R	8 R	22 R	60 R	28 R	28 R	24 R	44 R	22 S	10 S	32 R	32 R	16 R	32 R	42 R	34 R	14 R	4 R
3/20	<2	2	4	12	4	8	34	30	6	6 S	26 S	100	2	4	<2	2	4	270	<2
3/21	10	4	14	22	6	4	6	6	<2	<2 S	6 S	<2	<2	<2	4	<2	<2	2	<2
3/22	32	8	6	4	6	<2	2	4	2	6 S	<2 S	38	<2	<2	2	4	<2	12	<2
3/23	8	44	8	30	30	36	42	32	34	2 S	46 S	14	36	16	<2	4	<2	2	<2
3/24																			
3/25																			
3/26	30 R	32 R	10 R	98 R	216 R	334 R	242 R	>400 R	>400 R	>400 S	>400 S	2 R	4 R	<2 R	6 R	2 R	2 R	<2 R	6 R
3/27	2 R	4 R	4 R	6 R	90 R	22 R	18 R	114 R	378 R	160 S	288 S	4 R	<2 R	<2 R	<2 R	4 R	8 R	4 R	<2 R
3/28	>400	>400	10	>400	>400	12	34	22	68	32 S	44 S	2	<2	<2	2	<2	2	<2	<2
3/29	2 R	<2 R	2 R	2 R	12 R	<2 R	12 R	6 R	6 R	46 S	40 S	40 R	34 R	8 R	<2 R	2 R	8 R	8 R	<2 R
3/30	2	4	32	10	20	6	4	16	16	22 S	24 S	10	6	8	6	<2	<2	6	<2
3/31																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.