

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 March 2013

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	
3/1																				
3/2																				
3/3																				
3/4																				
3/5	34	16	10	6	<2	<2	2	<2	42	6	2	2	6	8	24	2	2	6	4	
3/6	38																			<2
3/7																				
3/8																				
3/9																				
3/10																				
3/11																				
3/12	32	70	26	92	2	2	8	6	74	2	<2	2	6	<2	4	<2	<2	2	<2	
3/13	40																			24
3/14																				
3/15																				
3/16																				
3/17																				
3/18																				
3/19	8	2	28	4	2	<2	<2	4	12	<2	<2	<2	<2	<2	<2	4	<2	<2	<2	
3/20	4																			2
3/21																				
3/22																				
3/23																				
3/24																				
3/25																				
3/26	26	16	8	26	6	<2	10	40	4	2	8	6	4	6	10	22	14	8	12	
3/27	84																			52
3/28																				
3/29																				
3/30																				
3/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU
6	6	8	58																
16	2	2		6	4	<2	<2	4	10	<2	6	<2	72	<2	<2	>400	<2	<2	<2
<2	2	4	<2																
20	12	12		14	14	2	2	52	2	2	6	106	146	>400			<2	<2	8
2	<2	6	12																
198	8	4		<2	<2	<2	<2	<2	2	<2	<2	<2	114	6			<2	<2	2
34	4	<2	2																
54	2	2		4	2	<2	2	<2	4	<2	132	34	268	34			2	<2	6

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
8	<2	<2	2	152	2	<2
12	4	92	6	24	16	4
282	2	<2	2	14	<2	<2
6	4	<2	4	126	2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.