

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 March 2017

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5U	HB5	HB5D	15N	
3/1	120																			
3/2																				
3/3																				
3/4																				
3/5																				
3/6																				
3/7	4	12	6	6	2	4	<2	2	<2	<2	72	36	34	30	28			6	2	
3/8	72																			
3/9																				
3/10																				
3/11																				
3/12																				
3/13																				
3/14	34	14	20	2	<2	<2	2	<2	36	2	14	8	6	<2	2			<2	12	
3/15	28																			
3/16																				
3/17																				
3/18																				
3/19																				
3/20																				
3/21	6	4	8	<2	<2	2	<2	<2	18	6	2	4	16	4	2			6	2	
3/22	>400																			
3/23																				
3/24																				
3/25																				
3/26																				
3/27																				
3/28	8	8	6	6	<2	<2	2	8	<2	10	14	4	20	14	10	2	>400	22	8	
3/29	50																			
3/30																				
3/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S
4	6	14	32		92	6	2	8	<2	<2	<2	2	<2	188	<2			<2	2
8	2	2	12	40															
34	54	<2	8		<2	2	4	500 600 30	2	<2	2	2	<2	112	<2			2	2
44	12	14	<2	24															
12	12	6	2		<2	6	4	6	2	8	<2	4	2	200	2			<2	<2
8	<2	4	10	6															
2	6	4	6		4	2	14	580 116 283 16	<2	8	<2	34	8	144	6	6	>400	4	<2
2	4	2	6	4															
40	22	20	20		6	8	2	14	14	8	4	6	<2	120	<2			<2	<2

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
18	84	<2	<2	<2	66	<2	<2
<2	40	4	<2	<2	92	<2	<2
<2	56	<2	2	<2	108	<2	4
2	54	<2	46	<2	98	4	<2
<2	70	<2	<2	2	120	<2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.