

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 May 2014

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
5/1																				
5/2																				
5/3																				
5/4																				
5/5																				
5/6	4	6	4	2	<2	2	<2	2	6	8	6	4	<2	56	12	4	<2	6	2	
5/7	6																	<2	<2	
5/8																				
5/9																				
5/10																				
5/11																				
5/12																				
5/13	6	18	<2	6	<2	<2	<2	4	10	8	2	6		4	6	<2	2	4	12	
5/14	96												10					12	40	
5/15																				
5/16																				
5/17																				
5/18																				
5/19																				
5/20	24	2	4	6	2	2	2	8	8	2	4	10	10	12	14	2	4	2	<2	
5/21	30																	6	20	
5/22																				
5/23																				
5/24																				
5/25																				
5/26																				
5/27	8	12	2	<2	2	<2	18	12	12	4	12	6	12	10	18	2	4	12	50	
5/28	24																	8	20	
5/29																				
5/30																				
5/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
38	6	16																	
18	6		36	18	4	6	2	6	<2	4	2	250	2	<2	<2	<2	62	<2	<2
82	4	2																	
>400	40		10	2	<2	2	2	<2	<2	12	6	188	2	<2	<2	2	58	2	<2
10	<2	4																	
8	4		2	4	<2	<2	<2	2	2	2	6	>400	2	<2	6	<2	66	<2	4
<2	2	<2																	
6	2		16	2	4	2	2	4	4	8	10	274	2	6	2	4	162	2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

