

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 May 2017

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
5/1																				
5/2	<2	8	<2	2	2	2	2	4	<2	2	<2	<2	2	2	4	4	<2	<2	2	
5/3	8																	2	<2	
5/4																				
5/5																				
5/6																				
5/7																				
5/8																				
5/9	>400	168	120	240	2	4	2	<2	<2	<2	10	<2	4	4	6	2	<2	<2	<2	
5/10	292																	4	<2	
5/11																				
5/12																				
5/13																				
5/14																				
5/15																				
5/16	8	8	16	2	<2	<2	<2	<2	4	<2	4	<2	<2	2	2	<2	2	<2	2	
5/17	4																	2	<2	
5/18																				
5/19																				
5/20																				
5/21																				
5/22																				
5/23	78	20	12	6	2	2	2	<2	2	<2	2	6	6	6	4	<2	2	<2	8	
5/24	362																	<2	4	
5/25																				
5/26																				
5/27																				
5/28																				
5/29																				
5/30	>400	40	2	2	<2	<2	<2	<2	<2	6	98	80	86	88	12	<2	<2	<2	2	
5/31	6																	2	<2	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
2	20	6																	
6	8		14	4	<2	<2	<2	6	<2	4	2	146	<2	<2	<2	<2	160	<2	<2
4	4	<2																	
12	<2		14	<2	<2	<2	4	4	<2	4	2	306	2	2	<2	<2	356	<2	14
2	6	<2																	
<2	4		2	12	<2	<2	<2	<2	<2	2	4	148	<2	<2	<2	<2	94	<2	<2
4	<2	<2																	
22	<2		2	<2	<2	2	<2	12	<2	<2	2	304	62	6	<2	2	398	80	<2
4	<2	4																	
2	4		2	<2	<2	<2	<2	<2	<2	2	4	190	<2	<2	<2	<2	312	<2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
<2	>400	<2	<2	76	<2
<2	>400	8			2
<2	374	<2			<2
2	>400	<2			<2
		<2			<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.