

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 October 2017

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
10/1																				
10/2																				
10/3	42	20	34	4	2	2	2	<2	2	<2	<2	<2	2	<2	6	2	8	6	12	
10/4	80																	4	16	
10/5																				
10/6																				
10/7																				
10/8																				
10/9																				
10/10	204	10	18	<2	<2	4	6	<2	2	<2	2	<2	2	6	4	<2	<2	<2	<2	
10/11	10																	4	6	
10/12																				
10/13																				
10/14																				
10/15																				
10/16																				
10/17	24	14	>400	<2	6	2	2	6	<2	<2	4	2	6	<2	2	22	20	2	14	
10/18	54																	<2	<2	
10/19																				
10/20																				
10/21																				
10/22																				
10/23																				
10/24	58	8	8	8	4	<2	4	4	<2	<2	<2	<2	2	<2	<2	<2	2	<2	<2	
10/25	20																	<2	<2	
10/26																				
10/27																				
10/28																				
10/29																				
10/30																				
10/31	8	70	2	6	14	4	4	<2	2	172	<2	6	<2	2	2	8	28	18	4	

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC	
2	<2	<2																		
>400	8		10	4	<2	<2	4	2	2	6	10	216	48	6	>400	8	<2	<2	106	
62																				
<2	2	<2																		
2	<2		52	<2	4	<2	<2	<2	<2	<2	4	>400	120	4	>400	2	2	4	294	
4	6	6																		
36	4		4	8	4	6	<2	2	2	20	38	156	34	<2	>400	2	2	4	70	
<2	2	<2																		
6	4		<2	<2	<2	<2	<2	<2	<2	<2	<2	154	2	2	>400	<2	<2	<2	148	
6	12	24																		

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

