

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 September 2013

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
9/1																				
9/2																				
9/3	90	12	6	<2	22	6	22	16	8	20	32	26	32	22	14	14	32	10	10	
9/4	28																	4	2	
9/5																				
9/6																				
9/7																				
9/8																				
9/9																				
9/10	<2	2	4	2	2	<2	2	18	4	2	<2	2	12	10	10	<2	2	16	6	
9/11	4																	10	12	
9/12																				
9/13																				
9/14																				
9/15																				
9/16																				
9/17	46	20	6	6	<2	2	34	56	22	14	8	4	12	4	14	4	6	8	10	
9/18	120																	8	10	
9/19																				
9/20																				
9/21																				
9/22																				
9/23																				
9/24	60	<2	8	2	<2	<2	<2	<2	<2	2	2	2	2	2	32	2	2	6	<2	
9/25	8																	8	10	
9/26																				
9/27																				
9/28																				
9/29																				
9/30																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC	
34	4	<2																		
8	<2		2	<2	6	<2	<2	<2	<2	<2	2	184	4			<2	<2			
8	82	10																		
12	74		<2	<2	<2	<2	2	4	<2	<2	6	288	12			<2	<2	<2	54	
86	92	12																		
282	168		68	26	44	48	6	16	4	6	<2	274	4	2	80	<2	2	4	22	
4	<2	<2																		
12	8		28	<2	<2	24	<2	<2	2	<2	6	302	76			<2	<2	18	16	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCD	ELMOROD
<2	2	<2	<2
<2	<2	<2	<2
2	<2	18	<2
<2	2	<2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.