

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Fecal Coliform Bacteria (CFU/100 mL)
 Daily Monitoring Data
 December 2014

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
12/1																				
12/2	500	250	370	300	50	67	<17	100	33	17	50	33	<17	17	<17	33	50	<17	100	
12/3	4100																	580	980	
12/4																				
12/5																				
12/6																				
12/7																				
12/8																				
12/9	83	130	180	<17	<17	33	17	<17	17	<17	<17	<17	130	33	<17	<17	17	33	<17	
12/10	67																	<17	<17	
12/11																				
12/12																				
12/13																				
12/14																				
12/15																				
12/16	83	100	130	33	33	<17	17	<17	50	17	<17	33	50	<17	<17	50	33	<17	50	
12/17	270																	33	50	
12/18																				
12/19																				
12/20																				
12/21																				
12/22	33	170	130	17	<17	17	17	17	17	<17	50	17	33	17	17	130	67	17	50	
12/23	330																	67	<17	
12/24																				
12/25																				
12/26																				
12/27																				
12/28																				
12/29	33	33	50	67	<17	17	<17	<17	67	33	120	200	67	33	17	<17	<17	<17	<17	
12/30	250																	17	17	
12/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWB – Confluence With Blue
 CWOB – Confluence Without Blue
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
440	1100	520																		
880	2500		480	2500	50	50	83	100	<17	83	940	6000	2000	130	4100	67	17	50	2300	
6500	170	400																		
83	<17		<17	33	<17	<17	<17	<17	33	<17	170	3100	83			<17	<17	17	46	
50	130	1000																		
50	83		83	780	33	17	17	33	<17	50	560	5000	50	<17	3700	33	17	33	800	
720	17	300																		
150	130		170	17	17	<17	<17	<17	<17	<17	83	1400	83	<17	380	<17	<17	<17	<17	31
150	<17	150																		
50	150		150	67	33	<17	<17	17	<17	67	180	5200	50			<17	<17	<17	67	

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWB – Confluence With Blue
CWOB – Confluence Without Blue
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
33	17	250	5200	120	<17
17	67	<17	900	17	<17
17	1500	130	940	<17	<17
<17	<17	<17	230	<17	<17
<17	180	<17	260	<17	<17

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CWB – Confluence With Blue

CWOB – Confluence Without Blue

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.