

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Fecal Coliform Bacteria (CFU/100 mL)
 Daily Monitoring Data
 June 2012

Date	39N	33N	27N	21N	15N	9N	6N	3N	0	D2	SAR	3S	6S	9S	15S	21S	27S	29S	39S
6/1	<18	<18	<18	<18	36	36	36	160	18	73 S	36 S	310	18	73	<18	130	<18	<18	<18
6/2																			
6/3																			
6/4	18	73	36	<18	55	36	240	<18	18	<18 S	<18 S	<18	<18	18	<18	<18	<18	55	18
6/5	<18	<18	<18	<18	<18	<18	36	<18	<18	18 S	<18 S	<18	<18	<18	<18	<18	<18	36	<18
6/6	<18	<18	<18	<18	<18	18	<18	110	<18	36 S	36 S	<18	36	<18	<18	<18	<18	<18	<18
6/7	<18	<18	<18	<18	<18	<18	<18	36	<18	<18 S	18 S	<18	<18	<18	<18	<18	<18	18	<18
6/8	<18	18	<18	<18	18	<18	36	<18	18	<18 S	<18 S	<18	<18	<18	<18	36	<18	<18	<18
6/9																			
6/10																			
6/11	<18	<18	<18	<18	<18	<18	36	18	18	<18 S	36 S	<18	<18	<18	<18	<18	<18	<18	<18
6/12	<18	<18	<18	18	<18	<18	<18	18	<18	18 S	<18 S	<18	<18	<18	<18	<18	<18	18	<18
6/13	<18	<18	18	<18	<18	<18	18	18	<18	18 S	<18 S	18	<18	<18	<18	<18	<18	55	<18
6/14	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18 S	18 S	<18	<18	<18	<18	18	<18	<18	<18
6/15	<18	<18	36	<18	<18	<18	<18	180	18	<18 S	<18 S	<18	<18	<18	<18	<18	<18	18	<18
6/16																			
6/17																			
6/18	<18	<18	55	<18	<18	<18	<18	1000	18	<18 S	<18 S	<18	<18	<18	<18	18	18	<18	<18
6/19	<18	<18	<18	<18	<18	18	220	160	<18	18 S	<18 S	<18	<18	<18	<18	<18	<18	<18	<18
6/20	<18	18	36	<18	<18	18	<18	1300	<18	36 S	<18 S	18	<18	<18	<18	<18	<18	<18	<18
6/21	<18	18	18	<18	<18	520	<18	920	<18	<18 S	18 S	<18	<18	<18	<18	<18	<18	<18	<18
6/22	<18	<18	<18	<18	<18	<18	<18	540	55	18 S	<18 S	<18	<18	<18	<18	<18	<18	<18	<18
6/23																			
6/24																			
6/25	<18	<18	<18	18	18	<18	18	36	18	<18 S	<18 S	<18	<18	<18	<18	<18	<18	<18	<18
6/26	<18	18	<18	<18	<18	<18	<18	<18	<18	<18 S	18 S	36	<18	18	18	<18	<18	130	<18
6/27	<18	<18	18	<18	<18	<18	<18	36	18	18 S	<18 S	55	<18	<18	<18	<18	<18	<18	<18
6/28	<18	<18	18	<20	18	<18	<18	18	18	<18 S	<18 S	<18	<18	<18	<18	<18	18	<18	<18
6/29	<18	18	<18	<18	18	130	18	36	<18	36 S	36 S	<18	18	<18	18	18	55	36	<18
6/30																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.