

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 April 2014

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N
4/1	>180	130	50	33	33	50	<17	<17	33	<17	50	<17	17	<17	17	720	17	180	83
4/2	CWS																	67	33
4/3																			
4/4																			
4/5																			
4/6																			
4/7																			
4/8	<17	50	17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	<17	<17	17
4/9	<17																	<17	17
4/10																			
4/11																			
4/12																			
4/13																			
4/14																			
4/15	33	170	17	17	<17	<17	17	<17	17	<17	<17	17	<17	<17	<17	<17	<17	<17	<17
4/16	>120																	67	33
4/17																			
4/18																			
4/19																			
4/20																			
4/21																			
4/22	83	17	83	17	<17	<17	<17	<17	<17	<17	<17	17	33	17	<17	<17	<17	17	<17
4/23	33																	33	17
4/24																			
4/25																			
4/26																			
4/27																			
4/28																			
4/29	580	130	17	33	17	17	<17	17	50	17	17	<17	<17	33	<17	17	17	50	33
4/30	600																	<17	100

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
1100	120	33																	
1100	600		2800	CWS	CWS	280	17	33	<17	<17	700	4700	230	150	<17	17	6800	50	230
50	33	17																	
150	170		83	120	<17	<17	<17	<17	<17	17	67	4100	17	<17	<17	67	530	17	17
150	<17	17																	
7000	100		<17	17	67	<17	<17	33	<17	200	>3800	15	17	<17	<17	17	>600	17	CWS
33	50	17																	
50	170		270	120	33	17	17	<17	<17	120	33	>6700	83	<17	17	17	1500	<17	>1700
620	<17	460																	
33	50		50	<17	<17	<17	<17	<17	<17	17	180	1800	170	<17	<17	<17	1000	17	<17

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
67	3400	200	<17
<17	1400	83	<17
50	>6600	33	<17
<17	1500	<17	<17
<17	2300	<17	<17

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.