

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 April 2015

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
4/1	83						<17	<17		<17				<17			<17	17	50	
4/2																				
4/3																				
4/4																				
4/5																				
4/6																				
4/7	67	67	33	<17	<17	<17	<17	<17	<17	<17	67	50	83	33	33	230	<17	<17	17	
4/8	CWS						<17	<17		67				<17			<17	<17	<17	
4/9																				
4/10																				
4/11																				
4/12																				
4/13																				
4/14	>50	83	230	<17	<17	<17	<17	<17	17	17	<17	17	<17	<17	<17	<17	<17	33	<17	
4/15	320						33	220		50				150			83	150	170	
4/16																				
4/17																				
4/18																				
4/19																				
4/20																				
4/21	>800	300	>100	100	<17	17	230	17	<17	<17	<17	<17	<17	17	<17	<17	17	17	<17	
4/22	>700						<17	<17		<17				<17			17	<17	<17	
4/23																				
4/24																				
4/25																				
4/26																				
4/27																				
4/28	<17	120	33	17	<17	<17	50	17	<17	<17	<17	<17	17	<17	<17	50	<17	<17	<17	
4/29	17						<17	<17		<17				<17			50	<17	<17	
4/30																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
300	<17		67	<17	<17	50	83	17	33	<17	<17	3600	120	<17	<17	<17	800	17	17
83	33	<17		33	17	<17	<17	<17	<17	<17					<17				
130	120		220	17	33	17	33	33	<17	<17	480	13000	83	<17	<17	<17	>530	<17	230
33	17	230		17	17	<17	<17	<17	<17	<17					<17				
67	120		250	<17	<17	<17	<17	<17	<17	<17	67	>11000	17	17	<17	<17	>2400	<17	17
<17	<17	<17		<17	<17	<17	33	<17	<17	<17					17				
<17	50		<17	<17	<17	<17	<17	<17	<17	<17	120	3800	17	<17	<17	>1300	<15	17	<17
83	<17	33		<17	<17	<17	<17	<17	<17	<17					<17				
67	17		<17	<17	<17	<17	<17	<17	<17	<17	100	>6800	<17	<17	<17	<17	>1900	<17	<17

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCD	ELMOROD
<17	<17
<17	<17
17	<17
<17	<17
<17	<17

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.