

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 April 2020

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
4/1	100																	<17	17	
4/2																				
4/3																				
4/4																				
4/5																				
4/6																				
4/7	>5100	>5100	>5800	>3000	250	67	180	200	170	270	400	300	300	420	250	600	1600	600	300	
4/8	CWS																	3200	5100	
4/9																				
4/10																				
4/11																				
4/12																				
4/13																				
4/14	67	170	<17	<17	17	<17	100	<17	<17	<17	17	67	17	<17	50	33	67	100	50	
4/15	33																	130	200	
4/16																				
4/17																				
4/18																				
4/19																				
4/20																				
4/21	50	50	33	33	<17	<17	17	17	<17	<17	<17	<17	<17	220	17	<17	<17	<17	33	
4/22	83																	<17	<17	
4/23																				
4/24																				
4/25																				
4/26																				
4/27																				
4/28	400	67	17	17	<17	50	220	<17	17	<17	<17	<17	<17	2200	17	17	400	400	100	
4/29	>200																	17	100	
4/30																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
130	350		33	<17	17	<17	<17	<17	<17	<17	17	3400	<17			<17	<17	<17	4200
170	600	700																	
>6700	>7100		CWS	100	33	17	230	180	100	150	2100	>10000	2500	330	7000	250	67	180	>10000
200	>2400	CWS																	
700	1300		150	<17	17	<17	17	<17	<17	<17	180	5400	67			<17	<17	17	1400
50	33	>350																	
600	>1000			270	120	83	83	<17	<17	<17	130	5400	520	17	4600	<17	<17	<17	2000
>33	>300	CWS																	
640	2900		17	<17	<17	<17	<17	<17	<17	<17	300	2400	3200	17	5400	17	<17	<17	2400

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
<17	<17			<17			<17
130	67	120	>6000	250			
2400	130			<17			<17
33	<17			<17	<17	1200	<17
17	<17			<17			<17

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.